


TS2.224 Fig. 1
Left Hand Hung.




2-4 Model		
N° of Turns	Direction	Size
5	-	2
0		3
5	+	4

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
2	850mm	40 Kg
3*	950mm	60 Kg (Minimum for a Fire Door)
4	1100mm	80 Kg


CE	BOSS Door Controls Ltd 3-4 Rutherford Square, Brucefield Industrial Park, Livingston, West Lothian, EH54 9BU, United Kingdom	TS2.224						UK CA	
		CF6170		1121-CPR					
AD10295	20	4	8	2/4	1	1	3	AD-UK AD8110	22
		3	8	2/3	1	1	3		

TS2.224 Fig. 1
Right Hand Hung.



2-4 Model		
N° of Turns	Direction	Size
5	-	2
0		3
5	+	4

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
2	850mm	40 Kg
3*	950mm	60 Kg (Minimum for a Fire Door)
4	1100mm	80 Kg

CE 2812-CPR	BOSS Door Controls Ltd 3-4 Rutherford Square, Brucefield Industrial Park, Livingston, West Lothian, EH54 9BU, United Kingdom	TS2.224						CF6170	1121-CPR
									
AD10295 20	Fig 1 - EN1154:1996+A1:2002	4	8	2	1	1	3	AD-UK AD8110	22
	Fig 6 - EN1154:1996+A1:2002	3	8	2	1	1	3		