


2-4 Model		
N° of Turns	Direction	Size
5	-	2
0		3
5	+	4

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
2	850mm	40 Kg
3*	950mm	60 Kg
4	1100mm	80 Kg

CE	BOSS Door Controls Ltd 3-4 Rutherford Square, Bracefield Industrial Park, Livingston, West Lothian, EH54 9BU, United Kingdom	TS2.224	UK CPR
2812-CPR		CF6170	1121-CPR
AD10295	Fig 1 - EN1154:1996+A1:2002	4 8 2 1 1 3	AD-UK AD8110
20	Fig 6 - EN1154:1996+A1:2002	3 8 2 1 1 3	22

TS2.224 Fig. 66
Right Hand Hung.



2-4 Model		
N° of Turns	Direction	Size
5	-	2
0		3
5	+	4

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
2	850mm	40 Kg
3*	950mm	60 Kg
4	1100mm	80 Kg

CE	BOSS Door Controls Ltd 3-4 Rutherford Square, Bracefield Industrial Park, Livingston, West Lothian, EH54 9BU, United Kingdom	TS2.224		UK CA	
		CF6170	1121-CPR		
AD10295	20	Fig 1 - EN1154:1996+A1:2002	4 8 2 4 1 1 3	AD-UK AD6110	22
		Fig 6 - EN1154:1996+A1:2002	3 8 2 3 1 1 3		

